



Standard truss line: 50-ST

Type	Tube	Material	
SINGLE TUBE	50x2	EN-AW 6082 T6	
50-ST			
		mm	kg
		250	0,6
		500	0,8
		1000	1,2
		1500	1,6
		2000	2,0
		2500	2,4
		3000	2,8
		3500	3,2
		4000	3,6



50-ST C19			
2 way	45°		500
			500



weight: 1,1 kg

50-ST C20			
2 way	60°		500
			500



weight: 1,1 kg



Standard truss line: 50-ST

50-ST C21			
2 way	90°		500
			500



weight: 1,1 kg

50-ST C22			
2 way	120°		500
			500



weight: 1,1 kg

50-ST C23			
2 way	135°		500
			500



weight: 1,1 kg

50-ST C30			
3 way	90°		500
			500
			500



weight: 1,7 kg



Standard truss line: 50-ST

50-ST C35			
3 way	90°		500
			500



weight: 1,3 kg

50-ST C40			
4 way	90°		500
			500
			500



weight: 1,9 kg

50-ST C41			
4 way	90°		500
			500



weight: 1,5 kg

50-ST C55			
5 way	90°		500
			500
			500



weight: 2,0 kg



Standard truss line: 50-ST

50-ST C61			
6 way	90°		500
			500
			500



weight: 2,2 kg

BP50-ST M			
		male	Ø100



weight: 0,3 kg

BP50-ST F			
		female	Ø100



weight: 0,4 kg

50-ST CUBE			
			50
			50
			50



weight: 0,3 kg



Standard truss line: 50-ST

